

2025



# **Audio Note (UK) Product Portfolio**

AUDIO NOTE (UK) LTD Unit C, D & E Star Road, Star Trading Estate, Partridge Green, West  
Sussex, RH13 8RA, United Kingdom

## **Introduction to Audio Note (UK) Ltd**

We are manufacturers of the finest domestic audio reproduction equipment money can buy, using the best available technology and the finest components.

We are the largest European manufacturer of ultra-performance valve-based audio equipment, with a worldwide distribution network.

We maintain a world-class standard of quality by keeping as many manufacturing processes in house, including winding our own transformers and foil capacitors.

Audio Note (UK) released its first integrated amplifier, the OTO PP, in 1991 and it is a testimony both to the amplifier's design and also to the company's longevity that it is still possible to buy the same model today, still built completely in their factory in Sussex, England, more than 33 years later.

While other manufacturers come and go, as do their products, Audio Note (UK) has stood the test of time and is now Europe's largest and most prestigious manufacturer of ultra performance valve-based home audio systems.

The company is one of the few to offer complete in-house designed and manufactured systems. From the tip of the cartridge on the turntable, through the cables and amplification, right through to the drive units in the loudspeakers, everything is designed and produced by Audio Note (UK) in their factories in the UK and Europe.

A vast range of different options is available to suit every music lover's requirements; there are over 150 separate and distinct products currently in the Audio Note (UK) catalogue. From cost effective solutions to full systems that truly redefine the limits of performance and ones expectations of sound quality.

As the company's motto says;

***"Music's Finest Conductor"***

## Audio Note Product Guide

### Pre Amplifiers & Phono Stages



R Zero/II

| M1                                                    |                                    |                                   |
|-------------------------------------------------------|------------------------------------|-----------------------------------|
| Line                                                  | Phono                              | RIAA                              |
| M2                                                    |                                    |                                   |
| Line                                                  | Phono                              | RIAA                              |
| Line Signature                                        | Phono Signature                    |                                   |
| Line Balanced                                         | Phono Balanced                     |                                   |
| M3                                                    |                                    |                                   |
| Line                                                  | Phono                              | RIAA                              |
| Line Balanced CD Input                                | Phono Balanced CD Input            |                                   |
| M5                                                    |                                    |                                   |
| Line                                                  | Phono                              | RIAA                              |
| Line Balanced CD Input                                | Phono Balanced CD Input            |                                   |
| M6                                                    |                                    |                                   |
| Line                                                  | Phono                              | RIAA                              |
| Line Balanced CD Input                                | Phono Balanced CD Input            |                                   |
| Line Signature *with external PSU                     | Phono Signature *with external PSU | RIAA Signature *with external PSU |
| M8                                                    |                                    |                                   |
| Line                                                  | Phono                              | RIAA                              |
| Line Balanced CD Input                                | Phono Balanced CD Input            |                                   |
| Line Signature *with external PSU                     | Phono Signature *with external PSU | RIAA Signature *with external PSU |
| M9                                                    |                                    |                                   |
| Phono *with external PSU                              |                                    | RIAA *with external PSU           |
| Phono Signature*with external PSU                     |                                    | RIAA Signature *with external PSU |
| M10                                                   |                                    |                                   |
| Line *with external PSU ‘Galahad’                     |                                    |                                   |
| Line Signature *with external PSU ‘Galahad Signature’ |                                    |                                   |

|             |           |           |             |            |            |           |
|-------------|-----------|-----------|-------------|------------|------------|-----------|
| Entry Level | Level One | Level Two | Level Three | Level Four | Level Five | Level Six |
|-------------|-----------|-----------|-------------|------------|------------|-----------|

## Audio Note Product Guide

### Power Amplifiers – Mono



Parallel Single Ended, Dual 2A3 per channel:

| Empress  |          |                  |
|----------|----------|------------------|
| Standard | Silver   | Silver Signature |
| Neiro    |          |                  |
| Kageki   |          |                  |
| Standard | Balanced |                  |

Single Ended, Single 300B per channel:

| Quest    |        |                  |
|----------|--------|------------------|
| Standard | Silver | Silver Signature |
| Shinri   |        |                  |
| Standard |        | Balanced         |
| Baransu  |        |                  |
| Standard |        | Balanced         |

Parallel Single Ended, Dual 300B per channel:

| Conquest |          |                  |
|----------|----------|------------------|
| Standard | Silver   | Silver Signature |
| Kassai   |          |                  |
| Standard | Balanced |                  |
| Kegon    |          |                  |
| Standard | Balanced |                  |

All above products are available in Low, Medium or High Gain

Parallel Single Ended, Dual 300B per channel:

| P4 Tonmeister |  |
|---------------|--|
| Balanced      |  |



Parallel Single Ended, Dual 211/4242e per channel:

| Ankoru  |
|---------|
| Ginrei  |
| Gaku On |


Single Ended, Single 211/4242e per channel:

| Ongaku Shinguru |
|-----------------|
|-----------------|

Single Ended, Bespoke Tube spec; has previously been made with 212/845E/2x 211/DA100:



The Legend



|             |           |           |             |            |            |           |
|-------------|-----------|-----------|-------------|------------|------------|-----------|
| Entry Level | Level One | Level Two | Level Three | Level Four | Level Five | Level Six |
|-------------|-----------|-----------|-------------|------------|------------|-----------|

## Power Amplifiers – Stereo



Push Pull, 6005:

**P1 PP**

Push Pull, 6L6:

**P2 PP**



Parallel Single Ended, EL84:

**P1 SE**

| P1 SE    |           |
|----------|-----------|
| Standard | Signature |

Parallel Single Ended, 6L6:

**P2 SE**

| P2 SE    |           |
|----------|-----------|
| Standard | Signature |

Single Ended, 300B:

**P3 Tonmeister**

| P3 Tonmeister |        |                  |
|---------------|--------|------------------|
| Standard      | Silver | Silver Signature |

Single Ended, 300B:

**Conqueror**

| Conqueror                                    |        |                  |
|----------------------------------------------|--------|------------------|
| Standard                                     | Silver | Silver Signature |
| <i>Available in Low, Medium or High Gain</i> |        |                  |

Single Ended, 2A3:

**Vindicator**

| Vindicator |        |                  |
|------------|--------|------------------|
| Standard   | Silver | Silver Signature |



Single Ended, 211:

**Jinro Shochu**

**Tomei Kensei**

**Ongaku Kensei**



|             |           |           |             |            |            |           |
|-------------|-----------|-----------|-------------|------------|------------|-----------|
| Entry Level | Level One | Level Two | Level Three | Level Four | Level Five | Level Six |
|-------------|-----------|-----------|-------------|------------|------------|-----------|

## Integrated Amplifiers



Push Pull ECL82:

**I Zero**



Parallel Single Ended, EL84:

**Oto SE**

|                       |                        |
|-----------------------|------------------------|
| Line                  | Phono                  |
| Line Signature        | Phono Signature        |
| Line Silver Signature | Phono Silver Signature |

Push Pull EL34:

**Cobra**

Push Pull, 6005:

**Oto PP**

|      |       |
|------|-------|
| Line | Phono |
|------|-------|

Parallel Single Ended, 5881:

**Soro SE**

|                |                 |
|----------------|-----------------|
| Line           | Phono           |
| Line Signature | Phono Signature |

Push Pull, 5881:

**Soro PP**

|      |       |
|------|-------|
| Line | Phono |
|------|-------|

Single Ended, 300B/4300E:

**Meishu Tonmeister**

|                              |                        |
|------------------------------|------------------------|
| Line                         | Phono                  |
| Line Signature               | Phono Signature        |
| Line Silver Signature        | Phono Silver Signature |
| <b>Meishu Konzertmeister</b> |                        |
| Phono                        |                        |
| <b>Meishu Kapellmeister</b>  |                        |
| Phono                        |                        |

Single Ended, 211:

**Jinro**

**Tomei**

**Ongaku**



Entry Level

Level One

Level Two

Level Three

Level Four

Level Five

Level Six

## CD Players



|           |
|-----------|
| CD Zero   |
| CD1.1x    |
| CD2.1x/II |
| CD3.1x/II |
| CD4.1x    |
| CD5.1x    |



## CD Transports

|                                  |
|----------------------------------|
| CDT Zero/II                      |
| CDT One/II                       |
| CDT Two/II                       |
| CDT Three                        |
| CDT Four                         |
| CDT Five                         |
| CDT Six                          |
| *with external PSU 'Sixth Force' |



## Digital to Analog Converters

|                                   |              |                    |
|-----------------------------------|--------------|--------------------|
| DAC 0.1x                          |              |                    |
| DAC 1.1x/II                       |              |                    |
| Standard                          |              | Signature          |
| DAC 2.1x                          |              |                    |
| Standard                          | /II Balanced | Signature          |
| DAC 3.1x/II Balanced              |              |                    |
| DAC 4.1x                          |              |                    |
| Balanced                          |              | Balanced Signature |
| DAC 5 Special                     |              |                    |
| DAC Signature                     |              |                    |
| Fifth Element                     |              |                    |
| * with external PSU ‘Fifth Force’ |              |                    |



|             |           |           |             |            |            |           |
|-------------|-----------|-----------|-------------|------------|------------|-----------|
| Entry Level | Level One | Level Two | Level Three | Level Four | Level Five | Level Six |
|-------------|-----------|-----------|-------------|------------|------------|-----------|

## Turn Tables

|                                             |       |       |       |
|---------------------------------------------|-------|-------|-------|
| TT One Deluxe                               |       |       |       |
| With or without external PSU (Power Supply) |       |       |       |
| TT Two Deluxe                               |       |       |       |
| With or without external PSU (Power Supply) |       |       |       |
| TT Three                                    |       |       |       |
| PSU 1                                       | PSU 2 | PSU 3 | PSU 4 |
| TT Three Reference *with external PSU       |       |       |       |



## Tone Arms

|                                     |               |                  |
|-------------------------------------|---------------|------------------|
| Arm One                             |               |                  |
| Arm Two                             |               |                  |
| Arm Three                           |               |                  |
| AN-1S (for TT Three Reference only) |               |                  |
| AN-V, 4 wire                        | AN-Vx, 4 wire | AN-SOGON, 4 wire |
| AN-V, 6 wire                        | AN-Vx, 6 wire | AN-SOGON, 6 wire |



## Cartridges

Moving Magnet:

|      |
|------|
| IQ 1 |
| IQ 2 |
| IQ 3 |

*Replacement Stylus are available for all MM cartridges. They are interchangeable, for easy upgrading.*

Moving Coil:

|                                                                |
|----------------------------------------------------------------|
| IO I Blue                                                      |
| IO I Red                                                       |
| IO II                                                          |
| IO Gold                                                        |
| IO Ltd                                                         |
| <i>Available with or without additional PSU (Power Supply)</i> |



## Step Up Transformers

|                                                                                                                                                                                     |            |        |      |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|--------|------|
| AN-S1                                                                                                                                                                               |            |        |      |
| Low                                                                                                                                                                                 |            | High   |      |
| AN-S2                                                                                                                                                                               |            |        |      |
| Low                                                                                                                                                                                 |            | High   |      |
| AN-S3                                                                                                                                                                               |            |        |      |
| Low                                                                                                                                                                                 | Low/Medium | Medium | High |
| AN-S4                                                                                                                                                                               |            |        |      |
| Low                                                                                                                                                                                 | Low/Medium | Medium | High |
| AN-S5                                                                                                                                                                               |            |        |      |
| Low                                                                                                                                                                                 | Low/Medium | Medium | High |
| AN-S8                                                                                                                                                                               |            |        |      |
| Low                                                                                                                                                                                 | Low/Medium | Medium | High |
| AN-S9                                                                                                                                                                               |            |        |      |
| Low                                                                                                                                                                                 | Low/Medium | Medium | High |
| Audio Note (UK) IO Cartridges are suited to Low impedance model only. If you/your customer needs Medium/High impedance, please supply the cartridge specifications with your order. |            |        |      |



|             |           |           |             |            |            |           |
|-------------|-----------|-----------|-------------|------------|------------|-----------|
| Entry Level | Level One | Level Two | Level Three | Level Four | Level Five | Level Six |
|-------------|-----------|-----------|-------------|------------|------------|-----------|

## Speakers

Bookshelf Speakers:

|               |
|---------------|
| <b>AX One</b> |
| <b>AX Two</b> |

Floor Standing Speakers:

| AZ Two Deluxe |           |
|---------------|-----------|
| Paper Cone    | Hemp Cone |

| AX/AZ                | Tweeter            | Bass Driver      | Sensitivity | Level |
|----------------------|--------------------|------------------|-------------|-------|
| <b>AX One</b>        | ¾", silk/ polamide | 5" paper         | 87dB        | Entry |
| <b>AX Two</b>        | ¾", silk/ polamide | 6.5" paper       | 89dB        | Entry |
| <b>AZ Two Deluxe</b> | ¾", silk/ polamide | 8" paper or hemp | 93dB        | 1     |

AN-K Speakers (suitable as bookshelf or with stands):

|                    |
|--------------------|
| <b>AN-K/D</b>      |
| <b>AN-K/LX</b>     |
| <b>AN-K/SPe</b>    |
| <b>AN-K/SPx SE</b> |

AN-J Speakers (stands recommended):

|                      |           |
|----------------------|-----------|
| AN-J/D               |           |
| Paper Cone           | Hemp Cone |
| AN-J/LX              |           |
| Paper Cone           | Hemp Cone |
| AN-J/SPe             |           |
| Paper Cone           | Hemp Cone |
| AN-J/SE Hemp         |           |
| AN-J/SE Hemp SILVER  |           |
| AN-J/SEC Hemp SILVER |           |

| AN-K                              | Tweeter    | Bass Driver                            | Sensitivity<br>(for 1W at 1m) | Cable    | Cross-over | Inductors | Level |
|-----------------------------------|------------|----------------------------------------|-------------------------------|----------|------------|-----------|-------|
| <b>AN-K/D</b><br>(Black Ash only) | ¾" tweeter | 8" standard, paper, copper voice coils | 90dB                          | AN-D     | Internal   | Copper    | 1     |
| <b>AN-K/LX</b>                    | ¾" tweeter | 8" standard, paper, copper voice coils | 90dB                          | AN-Lexus | Internal   | Copper    | 2     |
| <b>AN-K/SPe</b>                   | ¾" tweeter | 8" standard, paper, copper voice coils | 90dB                          | AN-SPe   | Internal   | Copper    | 3     |
| <b>AN-K/SPx SE</b>                | ¾" tweeter | 8" standard, paper, copper voice coils | 90dB                          | AN-SPx   | Internal   | Silver    | 4     |

| AN-J                                   | Tweeter                                        | Bass Driver                            | Sensitivity<br>(for 1W at 1m) | Cable    | Cross-over | Inductors | Level |
|----------------------------------------|------------------------------------------------|----------------------------------------|-------------------------------|----------|------------|-----------|-------|
| <b>AN-J/D</b><br>(Black Ash only)      | 1" tweeter, standard magnet, copper voice coil | 8" standard, paper, copper voice coils | 93dB                          | AN-D     | Internal   | Copper    | 1     |
| <b>AN-J/D Hemp</b><br>(Black Ash only) | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils  | 93dB                          | AN-D     | Internal   | Copper    | 1     |
| <b>AN-J/LX</b>                         | 1" tweeter, standard magnet, copper voice coil | 8" standard, paper, copper voice coils | 93dB                          | AN-Lexus | Internal   | Copper    | 2     |
| <b>AN-J/LX Hemp</b>                    | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils  | 93dB                          | AN-Lexus | Internal   | Copper    | 2     |
| <b>AN-J/SPe</b>                        | 1" tweeter, standard magnet, copper voice coil | 8" standard, paper, copper voice coils | 93dB                          | AN-SPe   | Internal   | Copper    | 3     |
| <b>AN-J/SPe Hemp</b>                   | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils  | 93dB                          | AN-SPe   | Internal   | Copper    | 3     |
| <b>AN-J/SPe SE Hemp</b>                | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils  | 93.5dB                        | AN-SPe   | Internal   | Silver    | 4     |
| <b>AN-J SE Hemp Silver</b>             | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils  | 93.5dB                        | AN-SPx   | Internal   | Silver    | 4     |
| <b>AN-J SEC Hemp Silver</b>            | 1" tweeter, AlNiCo magnet, silver voice coil   | 8" AlNiCo, hemp, silver voice coils    | 93.5dB                        | AN-Sogon | Internal   | Silver    | 5     |

## Audio Note Product Guide

### AN-E (stands recommended):

| AN-E/D               |           |
|----------------------|-----------|
| Paper Cone           | Hemp Cone |
| AN-E/LX              |           |
| Paper Cone           | Hemp Cone |
| AN-E/LX HE           |           |
| Hemp Cone            |           |
| AN-E/LX HE Signature |           |
| Hemp Cone            |           |
| AN-E/SPe             |           |
| Paper Cone           | Hemp Cone |
| AN-E/SPe HE          |           |
| Hemp Cone            |           |

| AN-E/SPe HE Signature               |
|-------------------------------------|
| Hemp Cone. With external Crossovers |
| AN-E/LX AiNiCo                      |
| Hemp Cone                           |
| AN-E/SPx AiNiCo                     |
| Hemp Cone                           |
| AN-E/SOGON AiNiCo                   |
| Hemp Cone                           |
| AN-E/SPe HE SE Signature            |
| Hemp Cone. With external Crossovers |
| AN-E/SPx HE SE Signature            |
| Hemp Cone. With external Crossovers |

### AN-E LTD (Heavy stands recommended):

| AN-E/SPx LTD                              |
|-------------------------------------------|
| With external PSU                         |
| AN-E/SPx LTD Signature                    |
| With external PSU and external Crossovers |
| AN-E/SOGON LTD                            |
| With external PSU                         |

| AN-E/SOGON LTD Signature                  |
|-------------------------------------------|
| With external PSU and external Crossovers |
| AN-E/SOGON LTD Signature                  |
| With external PSU                         |
| AN-E/SOOTTO LTD Silver Signature          |
| With external PSU and external Crossovers |



**Available in a range  
of finishes**



| AN-E                            | Tweeter                                        | Bass Driver                                  | Sensitivity<br>(for 1W at 1m) | Cable     | Cross-over                    | Inductors | Level |
|---------------------------------|------------------------------------------------|----------------------------------------------|-------------------------------|-----------|-------------------------------|-----------|-------|
| AN-E/D<br>(Black Ash only)      | 1" tweeter, standard magnet, copper voice coil | 8" standard, paper, copper voice coils       | 94dB                          | AN-D      | Internal, custom caps         | Copper    | 1     |
| AN-E/D Hemp<br>(Black Ash only) | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils        | 94dB                          | AN-D      | Internal, custom caps         | Copper    | 1     |
| AN-E/LX                         | 1" tweeter, standard magnet, copper voice coil | 8" standard, paper, copper voice coils       | 94dB                          | AN-Lexus  | Internal, custom caps         | Copper    | 2     |
| AN-E/LX Hemp                    | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils        | 94dB                          | AN-Lexus  | Internal, custom caps         | Copper    | 2     |
| AN-E/LX HE                      | 1" tweeter, standard magnet, silver voice coil | 8" high efficiency, hemp, silver voice coils | 97.5dB                        | AN-Lexus  | Internal, custom caps         | Copper    | 2     |
| AN-E/SPe                        | 1" tweeter, standard magnet, copper voice coil | 8" standard, paper, copper voice coils       | 94dB                          | AN-SPe    | Internal, custom caps         | Copper    | 2     |
| AN-E/SPe Hemp                   | 1" tweeter, standard magnet, copper voice coil | 8" standard, hemp, copper voice coils        | 94dB                          | AN-SPe    | Internal, custom caps         | Copper    | 3     |
| AN-E/SPe HE                     | 1" tweeter, standard magnet, silver voice coil | 8" high efficiency, hemp, silver voice coils | 97.5dB                        | AN-SPe    | Internal, custom caps         | Copper    | 3     |
| AN-E/LX HE Signature            | 1" tweeter, standard magnet, silver voice coil | 8" high efficiency, hemp, silver voice coils | 98dB                          | AN-Lexus  | External, AN Copper foil caps | Copper    | 2     |
| AN-E/SPe HE Signature           | 1" tweeter, standard magnet, silver voice coil | 8" high efficiency, hemp, silver voice coils | 98dB                          | AN-SPe    | External, AN Copper foil caps | Copper    | 3     |
| AN-E/SPe HE SE Signature        | 1" tweeter, standard magnet, silver voice coil | 8" high efficiency, hemp, silver voice coils | 98dB                          | AN-SPe    | External, AN Copper foil caps | Silver    | 4     |
| AN-E/SPx HE SE Signature        | 1" tweeter, standard magnet, silver voice coil | 8" high efficiency, hemp, silver voice coils | 98dB                          | AN-SPx    | External, AN Copper foil caps | Silver    | 4     |
| AN-E/LX AlNiCo                  | 1" tweeter, standard magnet, silver voice coil | 8" AlNiCo, hemp, silver voice coils          | 95dB                          | AN-Lexus  | Internal, custom caps         | Copper    | 4     |
| AN-E/SPx AlNiCo                 | 1" tweeter, standard magnet, silver voice coil | 8" AlNiCo, hemp, silver voice coils          | 95dB                          | AN-SPx    | Internal, custom caps         | Copper    | 4     |
| AN-E/Sogon AlNiCo               | 1" tweeter, standard magnet, silver voice coil | 8" AlNiCo, hemp, silver voice coils          | 95dB                          | AN-Sogon  | Internal, custom caps         | Copper    | 4     |
| AN-E/SPx LTD                    | Field coil tweeter magnet                      | Field coil magnet                            | 98dB                          | AN-SPx    | Internal, custom caps         | Copper    | 5     |
| AN-E/SPx LTD Signature          | Field coil tweeter magnet                      | Field coil magnet                            | 98dB                          | AN-SPx    | External, AN Copper foil caps | Copper    | 5     |
| AN-E/Sogon LTD                  | Field coil tweeter magnet                      | Field coil magnet                            | 98dB                          | AN-Sogon  | Internal, custom caps         | Copper    | 5     |
| AN-E/Sogon LTD Signature        | Field coil tweeter magnet                      | Field coil magnet                            | 98dB                          | AN-Sogon  | External, AN Copper foil caps | Copper    | 5     |
| AN-E/Sogon LTD Silver Sig.      | Field coil tweeter magnet                      | Field coil magnet                            | 98dB                          | AN-Sogon  | External, AN Silver foil caps | Silver    | 5     |
| AN-E/Sootto LTD Silver Sig.     | Field coil tweeter magnet                      | Field coil magnet                            | 98dB                          | AN-Sootto | External, AN Silver foil caps | Silver    | 6     |

## Mains Cables



Copper:

ISIS

Silver:

SOGON

SOOTTO

## Interconnect Cables

*Available in Digital or Stereo*

Copper:

AN-A

AN-C

LEXUS

ISIS



Silver:

AN-S

AN-V

AN-Vx

PALLAS/II

White/Brown/Purple/Black

SOGON

SOOTTO

## Speaker Cables

*Available in Single-Wired or Bi-Wired*

Copper:

AN-D

AN-Ba

AN-La

LEXUS LX

ISIS LX



Silver:

SPa

SPe

SPx

SOGON MINOR

SOGON LX

SOOTTO LX



Entry Level

Level One

Level Two

Level Three

Level Four

Level Five

Level Six